



**ADVANCING  
SUSTAINABILITY  
TOGETHER**

# ECP

## Emissions Control Panels

Keep fugitive emissions under control to protect operators and safeguard the environment

  
**HOERBIGER**

# Act today for a better tomorrow

Nitrogen purging is an effective way to eliminate uncontrolled gas leaks from compressors. Reducing or preventing hazardous emissions increases your employees' safety on the compressor deck and protects the environment. You can drastically reduce your greenhouse gas emissions when Emissions Control Panels are coupled with a flaring or recovery system. Purge pressure regulation also minimizes nitrogen consumption and thus lowers the total cost of ownership.

## A standardized solution

Thanks to the standardization of our Emissions Control Panels product range and a clever modular design, you just need to pick the model that suits you best. There is no need for lengthy technical studies.

## Continuous condition monitoring

All of the ECP models allow the installation of continuous monitoring devices, to keep a check on the health status of the main and intermediate packings over time. ECPi, our most advanced solution, is specifically designed to provide you with the most comprehensive set of real-time data, detailing the status of every single packing of your machine. This allows you to switch from preventive maintenance to condition-based maintenance, thereby increasing compressor availability and reducing downtimes.

## High quality and certified components

To ensure optimal performance and safety over its entire service life, HOERBIGER has selected premium materials and components from Swagelok® to create a durable Emissions Control Panel portfolio that meets the highest quality standards in the industry. Operating autonomously with no electrical components, the Emissions Control Panels are ATEX registered for use in explosive atmosphere (Zone 2 areas) and API 618 compliant.

# Your benefits at a glance

Features	Advantages	Benefits
The nitrogen barrier routes all packing leakage to the vent line	Safety from uncontrolled gas leaks	No risk to personnel on the compressor deck
	Controlled fugitive emissions	Environmental protection and achievement of the emission targets
Purge pressure control minimizes nitrogen consumption	Reduced nitrogen consumption	Lower total cost of ownership
Two pressure relief valves protect both the packing and the distance piece, even in case of failure	Protection from overpressure	Avoid equipment damage due to failure or wrong regulation
Individual packing monitoring	Single-packing regulation allows monitoring the health status of every packing	Allows higher availability and enables condition-based maintenance
Digitalization and remote monitoring	All panels have provisions to install a variety of digital instruments	Flexible solution that can be extended in the future
The closed version is NACE compliant	The panel can operate with sour gases with no risk of stress corrosion cracking	Higher reliability without costing a fortune
Standardization allows to be flexible without being cheap on components	Top-quality Swagelok® components are used on all products classes	High quality of components




Thanks to the provision for digital instruments, we know we can integrate the panel with the plant's Distributed Control System whenever we are ready, so that we don't interfere with our plant outage schedule.

Refinery, Spain




# ECPc – Emissions Control Panel Constant Pressure

Open panel



These products are the most affordable solution, which guarantees compressor safety and basic monitoring functions at the lowest possible price point, without compromising on the quality of the components or on the safety features of the panel. It regulates nitrogen pressure at a constant set point, which is differentiated for the main and intermediate packings or distance pieces. It is the perfect solution for compressors which are vented to atmosphere or to a near-constant pressure flare system.

Closed panel






# ECPv - Emissions Control Panel Variable Pressure

**EXPERIENCE**  
THE HOERBIGER ADVANCED CLASS

Open panel



Closed panel




# ECPi - Emissions Control Panel Individual Packing Regulation



Open panel


Nitrogen pressure individually regulated on every packing

These products provide the highest degree possible of regulation and advanced functionality. Nitrogen pressure is regulated individually on each cylinder, allowing the operator to monitor the health status of every single packing. If only one packing in the compressor fails, the ECPi will show you which one, thus avoiding time-consuming inspections and minimizing compressor downtime for intervention. It's the perfect solution for critical or unspared process gas units in refineries or petrochemical plants.



Closed panel

Pneumatic booster relays read each packing's vent pressure



“

Emissions Control Panels are fully meeting our expectations. The features and advantages of the different models are very intuitive to understand, so we could easily choose the model that's right for us.

Refinery, France

# Selection guide

The perfect options for all your needs



	ECPc		ECPv		ECPi	
	Open	Closed	Open	Closed	Open	Closed
Safety from uncontrolled gas leaks	●	●	●	●		
Reduced nitrogen consumption			●	●		
Individual packing monitoring						
Top-quality Swagelok® components					●	
Full API 618 compliance						●
Provision for digital instruments	●	●	●	●		
ATEX Zone 2 certified				●		
Protection from over-pressurization						
Sour gas compatibility (NACE compliant)	Not applicable	Not applicable				

# Need an appointment? Fill in the form or contact your sales representative.

First name \*

Last name \*

Email \*

Company \*

Country \*

Message

## \* GDPR Agreement

I consent to the transfer of this contact form and the storage of my personal information so that HOERBIGER can respond to my request.

See our [privacy policy](#) to learn more about how we use data.

**SUBMIT**



Scan or click for  
more information!

HOERBIGER is active throughout the world in the energy sector, the process industry, the automotive industry, the mechanical engineering sector, in safety engineering, and in the electrical industry. In 2021, its 5,862 employees achieved sales of 1.119 billion euros in 131 locations across 46 countries. Our products and services are used in reciprocating compressors, gas flow control units, vehicle drives, rotating unions, explosion protection, gas-powered engines, and in automobile hydraulics.

HOERBIGER.COM

All rights reserved. Subject to change without notice © Copyright HOERBIGER 2023



**HOERBIGER**